

**Farbwerte-Tabelle für Fremdaufträge
Aufbauen von HKS-Z-Farben aus der Skala**

HKS	Cyan % = C	Magenta % = M	Yellow % = Y	Black % = K	Annäherung * = gut ** = mittel *** = schlecht
3	0	0	100	0	*
4	0	7	100	0	**
5	0	17	98	0	**
6	0	32	100	0	**
7	0	42	95	0	***
8	0	56	96	0	***
10	0	70	98	0	***
12	0	75	98	0	***
13	0	86	97	0	**
15	0	89	68	0	*
16	6	88	80	0	*
17	6	100	50	8	*
18	10	98	40	15	*
22	0	87	83	0	***
23	0	100	65	0	**
24	0	97	33	0	*
25	0	100	29	3	*
27	0	100	0	0	**
31	8	94	0	5	***
33	33	100	0	0	***
34	56	90	0	2	***
37	68	98	0	0	***
38	95	60	10	20	*
39	95	40	0	0	***
40	100	20	5	0	**
41	95	58	5	30	*
42	96	51	0	0	***
43	96	60	0	0	***
44	100	33	0	0	***
45	100	90	0	0	**
46	95	10	3	17	**
47	100	0	0	0	*

**Farbwerte-Tabelle für Fremdaufträge
Aufbauen von HKS-Z-Farben aus der Skala**

HKS	Cyan % = C	Magenta % = M	Yellow % = Y	Black % = K	Annäherung * = gut ** = mittel *** = schlecht
48	95	12	6	4	**
49	100	15	5	0	**
50	65	0	10	0	***
51	95	0	25	0	***
52	93	0	38	4	**
53	75	0	40	0	***
54	89	0	76	0	**
55	95	4	71	10	**
56	94	8	42	30	*
57	95	0	95	4	**
58	72	8	90	25	*
59	93	4	35	10	**
60	65	0	100	4	***
61	65	6	90	30	*
62	27	10	86	26	*
63	56	0	92	10	**
64	75	0	98	0	***
65	55	0	96	0	***
66	43	0	93	0	***
67	35	0	87	0	***
68	10	0	90	0	*
69	5	0	100	0	*
71	0	29	94	0	*
72	0	35	100	0	*
73	0	35	100	15	*
75	25	25	100	25	*
76	0	50	100	70	**
77	20	58	75	40	*
78	12	67	83	26	*
82	6	68	98	6	*
91	15	0	5	20	*
92	20	5	0	50	*
93	35	10	0	70	*